

NETFIXX® NET INSTALLATION PRODUCTS
BIRD MANAGEMENT

NETFIXX® STRAINING WIRE, galvanised
 2,0 mm, 6 x 7 + 1 (43 single wires)
 Check whether this product is necessary,
 since stainless wires are marginally more
 expensive but offer much better results.



Code	Unit
NFX010	200 m



MOQ
 Unit/s
 20

NETFIXX® STRAINING WIRE, Stainless Steel
 7 x 7 (49 single wires), AISI 316° STAINLESS STEEL
 1.0 mm, 1.5 mm & 2.0 mm
 Use thin wires for smaller nets.

Code	Unit
NFX016 1.0 mm	250 m
NFX060 1.5 mm	250 m
NFX017 2.0 mm	250 m



MOQ
 Unit/s
 10

NETFIXX® BARREL STRAINER, Stainless Steel
 M4, M5 & M6 , AISI 316° STAINLESS STEEL
 Use one M6 Barrel Strainer (Turnbuckle) for every
 10 m Straining Wire, one M5 for every 7 m or
 M4 for every 5 m.

Code	Unit
NFX089 M4	1 pc
NFX004 M5	1 pc
NFX005 M6	1 pc



MOQ
 Unit/s
 10

NETFIXX® BARREL STRAINER, galvanised

Code	Unit
NFX011 M5	10 pc
NFX012 M6	10 pc



MOQ
 Unit/s
 10

NETFIXX® NET INSTALLATION PRODUCTS
BIRD MANAGEMENT
COPPER FERRULES FOR 1 mm

Code	Unit
NFX013 without picture	100 pc

NETFIXX® X-TRA CRIMP FERRULES

Copper, nickel-plated

Press ferrules twice to prevent straining wire from slipping, when tension is high.

Use with UrbanGuard X-TRA Crimper.

See TEC-INFO for tension report and certificate.

Code	Unit
NFX087 Nickel-plated for 1.5 mm wire	100 pc
NFX088 Nickel-plated for 2.0 mm wire	100 pc

NETFIXX® HOG RINGS

To attach the net onto the straining wire fast & firm, it is recommended to use a hog ring for every mesh.

Code	Unit	€/Unit
NFX002 Aluminium	2500 pc	




packed in cartons of 2500 pc

NETFIXX® NET BOLT M6, Stainless Steel

A very strong bolt for net corners, to be used without wall plug.

Code	Unit	€/Unit
NFX033	1 pc	




packed in bags of 10 pc




New Product

UG
TEC
INFO

MOQ
Unit/s
10,ea



MOQ
Unit/s
10



STAIN
LESS
STEEL
304

MOQ
Unit/s
100

NETFIXX® NET INSTALLATION PRODUCTS
BIRD MANAGEMENT
NETFIXX® SCREW EYE 40 mm, galvanised

Intermediate fixing to use in timber or with wall plugs.

New Product

Code	Unit
NFX043	100 pc


NETFIXX® SCREW EYE 40 mm, Stainless Steel
 Intermediate fixing to use in timber or with wall plugs.

Code	Unit
NFX042	100 pc


NETFIXX® FLAT SCREW EYE, Stainless Steel
 An intermediate fixing to keep straining wire in place. To be used with wall plug. Nearly invisible.

Code	Unit
NFX046	100 pc


NETSPIKES, galvanised

An intermediate fixing to keep straining wire in place. No wall plug needed, only for solid walls. Use 5 mm drill and hammer netspike in firmly.


Code	Unit
NFX040	100 pc


SCREW EYE ANCHOR

To be used for insulated facades and to distance net from buildings, sculptures etc.

New Product

Code	Unit
NFX063	15 cm / Ø 6 mm 50 pc
NFX077	19 cm / Ø 6 mm 50 pc
NFX079	35 cm / Ø 10 mm 10 pc



NETFIXX® NET INSTALLATION PRODUCTS
BIRD MANAGEMENT
NETFIXX® SWIRLEY, Stainless Steel

A simple fixing to improve net results, i.e. to firm up straining wire with additional fixtures.

New Product

Also for temporary net attachments or openings.

Code	Unit
NFX076 5 cm / Ø 6 mm	10 pc


NETFIXX® ANGLE BRACKET, Stainless Steel

This is a standard installation product to hold straining wire. For many different applications on buildings.

Code	Unit
NFX059	100 pc


NETFIXX® UNIVERSAL CLAMP, Stainless Steel
 (10 - 35 mm) When drilling is a problem

Code	Unit
NFX070 Universal Clamp	1 pc

